

MLZ Conference: Neutrons for Energy

Rapport sur les résumés

Identifiant du résumé : 49

Study of Sn and Fe based electrode materials for Alkali-ion batteries by in situ Mössbauer spectroscopy

Abstract

Li-ion batteries are widely used for electrochemical energy storage, because of their high energy density and efficiency. The most significant challenges in the development of advanced Li-ion batteries concern the electrode materials. Indeed, the electrodes properties critically determine the capacity, performance, and durability of alkali-ion batteries. In the past five decades, Mössbauer spectroscopy has been an important analytical technique for investigating the structural, magnetic and electronic properties of energy materials. Mössbauer spectroscopy allows simultaneous investigation of bulk and surface characteristics. It is a non-destructive technique that can follow the behavior of electrode materials during the reaction process in situ and operando [1]. Its high resolution enables the observation of all Mössbauer active phases and the measure of their relative quantities. Iron and tin containing materials are of considerable interest as electrode material for Li-ion batteries [2, 3]. In this presentation, we report in situ and operando measurements of new electrode materials based on Fe and Sn during electrochemical cycling by combining Mössbauer spectroscopy with complementary techniques (X-ray diffraction, magnetic measurements, impedance spectroscopy, etc.) to study and investigate the electrochemical behavior of the electrode materials.

Acknowledgment A. Mahmoud and F. Boschini would like to kindly thank the Walloon region (Beware Fellowships Academia 2015-1, RESIBAT n° 1510399) and the FNRS for financial support. [Work by AM and RPH carried out in part while at Forschungszentrum Jülich GmbH].

References 1. M. Brisbois, S. Caes, M. T. Sougrati, B. Vertruyen, A. Schrijnemakers, R. Cloots, N. Eshraghi, R. P. Hermann, A. Mahmoud, F. Boschini, *Solar Energy Materials & Solar Cells* 148 (2016) 67–72. 2. A. Mahmoud, M. Chamas, J. C. Jumas, B. Philippe, R. Dedryvère, D. Gonbeau, I. Saadoune, P.-E. Lippens, *J. Power Sources* 244 (2013) 246-251. 3. M. T. Sougrati, A. Darwiche, X. Liu, A. Mahmoud, R. P. Hermann, S. Jouen, L. Monconduit, R. Dronskowski, L. Stievano, *Angew. Chem. Int. Ed.* 2016, 55, 1-7.

Primary author(s) : Dr. MAHMOUD, Abdelfattah (LCIS/ GREENMAT, Institute of Chemistry B6, University of Liège, Allée de la Chimie 3, B-4000 Liège, Belgium)

Co-author(s) : Dr. SOUGRATI, Moulay Tahar (Institut Charles Gerhardt, UMR 5253 CNRS, Université de Montpellier, Place Eugène Bataillon, 34095 Montpellier cedex 5, France, Réseau sur le Stockage Electrochimique de l'Energie (RS2E), FR 3459 CNRS, France); Prof. HERMANN, Raphaël P. (Materials Science and Technology Division, Oak Ridge National Laboratory, 37831 Oak Ridge, TN, USA); Dr. LIPPENS, Pierre-emmanuel (Institut Charles Gerhardt, UMR 5253 CNRS, Université de Montpellier, Place Eugène Bataillon, 34095 Montpellier cedex 5, France, Réseau sur le Stockage Electrochimique de l'Energie (RS2E), FR 3459 CNRS, France); Dr. BOSCHINI, Frédéric (LCIS/ GREENMAT, Institute of Chemistry B6, University of Liège, Allée de la Chimie 3, B-4000 Liège, Belgium)

Presenter(s) : Dr. MAHMOUD, Abdelfattah (LCIS/ GREENMAT, Institute of Chemistry B6, University of Liège, Allée de la Chimie 3, B-4000 Liège, Belgium)

Classification des thématiques : Advanced and Complementary methods

Type de contribution : Invited

Soumis par **Mr. MAHMOUD, Abdelfattah** le **Tuesday 22 March 2016**